

**British Columbia Heteroptera Checklist** (\* = introduced)

Infraorder ENICOCEPHALOMORPHA

Family Aenictopecheidae

*Boreostolus americanus* Wygodzinsky & Štys

Infraorder DIPSOCOMORPHA

Family Ceratocombidae

*Ceratocombus vagans* McAtee & Malloch

Family Schizopteridae

*Chinnanus* sp.

Infraorder NEPOMORPHA

Family Belostomatidae

*Belostoma flumineum* Say

*Lethocerus americanus* (Leidy)

Family Nepidae

*Ranatra fusca* Palisot

Family Gelastocoridae

*Gelastocoris oculatus* (Fabricius)

Family Corixidae

Subfamily Corixidae

Tribe Corixini

*Arctocorisa chanceae* Hungerford

*Arctocorisa convexa* (Fieber)

*Arctocorisa sutilis* (Uhler)

*Callicorixa alaskensis* Hungerford

*Callicorixa audeni* Hungerford

*Callicorixa scudderi* Jansson

*Callicorixa vulnerata* (Uhler)

*Cenocorixa andersoni* Hungerford

*Cenocorixa bifida hungerfordi* Lansbury

*Cenocorixa blaisdelli* (Hungerford)

*Cenocorixa dakotensis* (Hungerford)

*Cenocorixa expleta* (Uhler)

*Cenocorixa utahensis* (Hungerford)

*Cenocorixa wileyae* (Hungerford)

*Corisella decolor* (Uhler)

*Corisella inscripta* (Uhler)

*Hesperocorixa atopodonta* (Hungerford)

*Hesperocorixa laevigata* (Uhler)

*Hesperocorixa michiganensis* (Hungerford)

Hesperocorixa minorella (Hungerford)  
Hesperocorixa vulgaris (Hungerford)  
Sigara alternata (Say)  
Sigara bicoloripennis (Walley)  
Sigara conocephala (Hungerford)  
Sigara decoratella (Hungerford)  
Sigara dolabra Hungerford & Sailer  
Sigara grossolineata Hungerford  
Sigara lineata (Forster)  
Sigara mullettensis (Hungerford)  
Sigara omani (Hungerford)  
Sigara penniensis (Hungerford)  
Sigara solensis (Hungerford)  
Sigara washingtonensis Hungerford  
Tribe Glaenocorisini  
Trichocorixa verticalis californica Sailer  
Dasycorixa hybrida (Hungerford)  
Dasycorixa johanseni (Walley)  
Dasycorixa rawsoni Hungerford  
Subfamily Cyminae  
Cymatia americana Hussey

Family Notonectidae

Subfamily Anisopinae  
Buena confusa Truxal  
Buena macrotibialis Hungerford  
Subfamily Notonectinae  
Notonecta borealis Hussey  
Notonecta kirbyi Hungerford  
Notonecta spinosa Hungerford  
Notonecta undulata Say  
Notonecta unifasciata andersoni Hungerford

Family Pleidae

Neoplea striola (Fieber)

Infraorder GERROMORPHA

Family Mesoveliidae

Mesovelia mulsanti White

Family Hebridae

Merragata hebroides White

Family Hydrometridae

Hydrometra martini Kirkaldy

Family Veliidae

- Microvelia buenoi Drake
- Microvelia pulchella Westwood

Family Gerridae

- Aquarius nyctalis (Drake & Hottes)
- Aquarius remigis (Say)
- Gerris buenoi Kirkaldy
- Gerris comatus Drake & Hottes
- Gerris incognitus Drake & Hottes
- Gerris incurvatus Drake & Hottes
- Gerris pingreensis Drake & Hottes
- Limnopus dissortis (Drake & Harris)
- Limnopus notabilis (Drake & Harris)

Infraorder LEPTOPODOMORPHA

Family Saldidae

Subfamily Saldinae

Tribe Saldini

- Lampracanthia crassicornis (Uhler)
- Salda anthracina Uhler
- Salda buenoi (McDunnough)
- Salda lugubris (Say)
- Salda obscura Provancher
- Salda provancheri Kelton & Lattin
- Teloleuca bifasciatus (Thomson)
- Teloleuca pellucens (Fabricius)

Tribe Saldoidini

- Ioscytus politus politus (Uhler)
- Micracanthia bergrothi Jakovlev
- Micracanthia fennica (Reuter)
- Micracanthia humilis (Say)
- Micracanthia quadrimaculata (Champion)
- Saldula andrei andrei Drake
- Saldula andrei azteca Drake & Hottes
- Saldula balli Drake
- Saldula bouchervillei (Provancher)
- Saldula comatula Parshley
- Saldula dispersa (Uhler)
- Saldula explanata (Uhler)
- Saldula laticollis (Reuter)
- Saldula nigrita Parshley
- Saldula opacula (Zetterstedt)
- Saldula opiparia Drake & Hottes
- Saldula pallipes (Fabricius)
- Saldula palustris (Douglas)

*Saldula saltatoria* (Linnaeus)

Infraorder CIMICOMORPHA

Family Anthocoridae

Tribe Anthocorini

- Acomporis lepidus* (Van Duzee)
- Anthocoris antevolens* White
- Anthocoris aquilivenis* Lewis
- Anthocoris confusus* Reuter \*
- Anthocoris musculus* (Say)
- Anthocoris nemoralis* (Fabricius) \*
- Anthocoris tomentosus* Péricart
- Anthocoris whitei* Reuter
- Elatophilus pullus* Kelton & Anderson
- Melanocoris longirostris* Kelton
- Melanocoris nigricornis* Van Duzee
- Tetraphleps canadensis* Provancher
- Tetraphleps feratis* (Drake & Harris)
- Tetraphleps furvus* Van Duzee
- Tetraphleps latipennis* Van Duzee
- Tetraphleps pilosipes* Kelton & Anderson

Tribe Dufouriellini

- Cardiastethus borealis* Kelton
- Dufouriellus ater* (Dufour)

Tribe Oriini

- Macrotracheliella nigra* Parshley
- Orius diespeter* Herring
- Orius insidiosus* (Say) \*
- Orius tristicolor* (White)
- Orius vicinus* Ribaut \*

Tribe Scolopini

- Scoloposcelis flavicornis* Reuter

Tribe Xylocorini

- Xylocoris californicus* (Reuter)
- Xylocoris cursitans* (Fallén)
- Xylocoris galactinus* (Fieber)

Family Cimicidae

Subfamily Ciminae

- Cimex latipennis* Usinger & Ueshima
- Cimex lectularius* Linnaeus
- Cimex pilosellus* (Horváth)
- Oeciacus vicarius* Horváth

Subfamily Haematosiphoninae

- Hesperocimex coloradensis* List

Family Lyctocoridae

- Lyctocoris campestris (Fabricius)
- Lyctocoris okanaganus Kelton & Anderson
- Lyctocoris rostratus Kelton & Anderson
- Lyctocoris stalii (Reuter)
- Lyctocoris tuberosus Kelton & Anderson

Family Nabidae

Subfamily Nabinae

- Himacerus major (Costa) \*
- Hoplistoscelis heidemanni (Reuter)
- Nabis alternatus alternatus Parshley
- Nabis alternatus uniformis Harris
- Nabis americoferus Carayon
- Nabis americolimbata (Carayon)
- Nabis flavomarginata (Scholtz)
- Nabis inscriptus (Kirby)
- Nabis loveti (Harris)
- Nabis nigrovittata nearctica Kerzhner
- Nabis propinqua (Reuter)
- Nabis roseipennis Reuter
- Nabis rufusculus Reuter
- Nabis subcoleoprata Kirby
- Nabis vanduzeei (Kirkaldy)

Subfamily Prostematinae

- Pagasa fusca (Stein)
- Pagasa nigripes Harris

Family Microphysidae

- Loricula bipunctata (Perris) \*

Family Miridae

Subfamily Bryocorinae

Tribe Bryocorini

- Bryocoris pteridis (Fallén) \*
- Monalocoris americanus Wagner & Slater
- Campyloneura virgula (Herrich-Schaeffer) \*

Tribe Dicyphini

- Dicyphus discrepans Knight
- Dicyphus hesperus Knight
- Dicyphus pallicornis (Fieber) \*
- Dicyphus vestitus Uhler
- Macrolophus rivalis (Knight)
- Tupiocoris agilis (Uhler)
- Tupiocoris californicus (Stål)
- Tupiocoris confusus (Kelton)

- Tupiocoris elongatus (Van Duzee)
- Tupiocoris killamae Schwartz & Scudder
- Tupiocoris rubi (Knight)
- Tupiocoris similis (Kelton)
- Tupiocoris tibialis (Kelton)
- Tupiocoris tinctus (Knight)
- Usingerella bakeri (Knight)
- Tribe Eccritotarsini
  - Sixeonotus rostratus Knight
- Subfamily Deraeocorinae
  - Tribe Clivinematini
    - Bothynotus pilosus (Boheman)
    - Clivinema fuscum Downes
    - Clivinema mediale Knight
    - Largidea grossa Van Duzee
    - Largidea shoshonea Knight
  - Tribe Deraeocorini
    - Deraeocapsus fraternus (Van Duzee)
    - Deraeocoris albigulus Knight
    - Deraeocoris bakeri Knight
    - Deraeocoris barberi Knight
    - Deraeocoris brevis (Uhler)
    - Deraeocoris diveni Knight
    - Deraeocoris fasciolus fasciolus Knight
    - Deraeocoris fulgidus Van Duzee
    - Deraeocoris fulvescens (Reuter)
    - Deraeocoris incertus Knight
    - Deraeocoris kennicotti Knight
    - Deraeocoris mutatus Knight
    - Deraeocoris ornatus Knight
    - Deraeocoris piceicola Knight
    - Deraeocoris punctulatus (Fallén)
    - Deraeocoris rubroclarus Knight
    - Deraeocoris sayi (Reuter)
    - Deraeocoris schwarzii (Uhler)
    - Deraeocoris triannulipes Knight
    - Deraeocoris validus (Reuter)
    - Eurychilopterella pacifica Stonedahl
- Tribe Surinamellini
  - Eustictus necopinus Knight
- Tribe Hyaliadini
  - Hyaliodes harti Knight
- Subfamily Mirinae
  - Tribe Herdoniini
    - Paradacerla formicina (Parshley)
  - Tribe Mirini

*Adelphocoris lineolatus* (Goeze) \*  
*Adelphocoris rapidus* (Say)  
*Agnocoris rubicundus* (Fallén)  
*Agnocoris utahensis* Moore  
*Capsus ater* (Linnaeus) \*  
*Capsus cinctus* (Kolenati)  
*Closterotomus fulvomaculatus* (DeGeer)  
*Closterotomus norwegicus* (Gmelin) \*  
*Dichrooscytus convexifrons* Knight  
*Dichrooscytus flagellatus* Kelton  
*Dichrooscytus flavescens* Knight  
*Dichrooscytus irroratus* Van Duzee  
*Dichrooscytus latifrons* Knight  
*Dichrooscytus raineri* Knight  
*Dichrooscytus rostratus* Kelton  
*Dichrooscytus ruberellus* Knight  
*Dichrooscytus rubidus* Kelton  
*Dichrooscytus rufusculus* Kelton  
*Henrilygus nubilus* Van Duzee  
*Henrilygus ultranubilus* (Knight)  
*Irbisia brachycera* (Uhler)  
*Irbisia elongata* Knight  
*Irbisia fuscipubescentis* Knight  
*Irbisia knighti* Schwartz & Kelton  
*Irbisia nigripes* Knight  
*Irbisia pacifica* (Uhler)  
*Irbisia sericans* (Stål)  
*Irbisia serrata* Bliven  
*Irbisia shulli* Knight  
*Lygidea annexa* (Uhler)  
*Lygidea obscura* Reuter  
*Lygidea rosacea* Reuter  
*Lygidea salicis* Knight  
*Lygocoris pabulinus* (Linnaeus)  
*Lygocoris rugicollis* (Fallén)  
*Lygus atriflavus* Knight  
*Lygus attritibialis* Knight  
*Lygus borealis* (Kelton)  
*Lygus bradleyi* Knight  
*Lygus ceanothi* Knight  
*Lygus convexicollis* Reuter  
*Lygus elisus* Van Duzee  
*Lygus hesperus* Knight  
*Lygus humeralis* Knight  
*Lygus keltoni* Schwartz  
*Lygus lineolaris* (Palisot de Beauvois)

*Lygus lupini* Schwartz  
*Lygus oregonae* Knight  
*Lygus potentillae* Kelton  
*Lygus punctatus* (Zetterstedt)  
*Lygus robustus* (Uhler)  
*Lygus rubroclarus* Knight  
*Lygus rubrosignatus* Knight  
*Lygus rufidorsus* (Kelton)  
*Lygus rugulipennis* Poppius  
*Lygus scudderi* Schwartz  
*Lygus shulli* Knight  
*Lygus solidaginis* (Kelton)  
*Lygus striatus* Knight  
*Lygus unctuosus* (Kelton)  
*Neoborella xanthenes* Herring  
*Neolygus alni* (Knight)  
*Neolygus atritylus* (Knight)  
*Neolygus communis* (Knight)  
*Neolygus contaminatus* (Fallén)  
*Neurocolpus longirostris* Knight  
*Neurocolpus nubilus* (Say)  
*Nonlygus nubilatus* Knight  
*Orthops scutellatus* Uhler  
*Pappus luridus* (Reuter)  
*Pappus piceicola* Kelton  
*Pappus pseudotsugae* Kelton  
*Pappus rolfsi* Knight  
*Pappus rubripes* Knight  
*Phytocoris californicus* Knight  
*Phytocoris conspurcatus* Knight  
*Phytocoris dentatus* Knight [Knight 1974, no records in database]  
*Phytocoris dimidiatus* Kirschbaum \*  
*Phytocoris driesbachi* Knight  
*Phytocoris dumicola* Stonedahl  
*Phytocoris eureka* Bliven  
*Phytocoris fraterculus* Van Duzee  
*Phytocoris heidemanni* Reuter  
*Phytocoris inops* Uhler  
*Phytocoris jucundus* Van Duzee  
*Phytocoris juliae* Stonedahl  
*Phytocoris keltoni* Kerzhner & Schuh  
*Phytocoris knowltoni* Knight  
*Phytocoris lasiomeris* Reuter  
*Phytocoris neglectus* Knight  
*Phytocoris occidentalis* Stonedahl  
*Phytocoris pallidicornis* Reuter



Phytocoris plenus Van Duzee  
Phytocoris politus (Reuter)  
Phytocoris populi (Linnaeus) \*  
Phytocoris purshiae Stonedahl  
Phytocoris rostratus Knight  
Phytocoris stellatus Van Duzee  
Phytocoris strigosus Knight  
Phytocoris tenuis Van Duzee  
Phytocoris tiliae (Fabricius) \*  
Phytocoris yollabollae Bliven  
Pinalitus approximates (Stål)  
Pinalitus rostratus Kelton  
Pinalitus rubrotinctus Knight  
Pinalitus solivagus (Van Duzee)  
Polymerus basivittis pallidulus Knight  
Polymerus chrysopsis Knight  
Polymerus cognatus (Fieber)  
Polymerus diffusus (Uhler)  
Polymerus rufipes Knight  
Polymerus tumidifrons Knight  
Polymerus unifasciatus (Fabricius)  
Polymerus venaticus (Uhler)  
Polymerus vulneratus (Panzer)  
Salignus tahoensis (Knight)  
Stenotus binotatus (Fabricius) \*  
Tropidosteptes pacificus (Van Duzee)  
Tribe Restheniini  
Prepops bivittis (Stål)  
Prepops borealis (Knight)  
Prepops nigripilus (Knight)  
Prepops rubellicollis (Knight)  
Tribe Stenodemini  
Leptopterna amoena Uhler  
Leptopterna dolabrata (Linnaeus) \*  
Litomiris curtus (Knight)  
Litomiris debilis (Uhler)  
Megaloceroea reticornis (Geoffroy) \*  
Mimoceps insignis Uhler  
Pithanus maerkelii (Herrich-Schaeffer) \*  
Stenodema pilosipes Kelton  
Stenodema trispinosa Reuter  
Stenodema vicinum (Provancher)  
Teratocoris caricis Kirkaldy  
Teratocoris discolor Uhler  
Teratocoris paludum Sahlberg  
Teratocoris saundersi Douglas & Scott

*Trigonotylus americanus* Carvalho  
*Trigonotylus antennatus* Kelton  
*Trigonotylus brooksi* Kelton  
*Trigonotylus caelestialium* (Kirkaldy)  
*Trigonotylus exilis* Scudder & Schwartz  
*Trigonotylus flavicornis* Kelton  
*Trigonotylus longipes* Slater & Wagner  
*Trigonotylus setosus* Scudder & Schwartz  
*Trigonotylus viridis* (Provancher)

Subfamily Orthotylinae

Tribe Halticini

*Labops brooksi* Slater  
*Labops burmeisteri* Stål  
*Labops hesperius* Uhler  
*Labops hirtus* Knight  
*Labops tumidifrons* Knight  
*Labops verae* Knight  
*Orthocephalus coriaceus* (Fabricius) \*

Tribe Orthotylini

*Aoplonema princeps* Uhler  
*Aoplonema rubrum* Forero  
*Blepharidopterus angulatus* (Fallén) \*  
*Blepharidopterus diaphanus* (Kirschbaum)  
*Blepharidopterus provancheri* (Burque)  
*Brooksetta inconspicua* (Uhler)  
*Brooksetta incurva* (Knight)  
*Brooksetta viridicata* (Uhler)  
*Ceratocapsus apicatus* Van Duzee  
*Ceratocapsus cunealis* Henry  
*Ceratocapsus denticulatus* Knight  
*Ceratocapsus downesi* Knight  
*Ceratocapsus drakei* Knight  
*Ceratocapsus nigrocephalus* Knight  
*Cyrtorhinus caricis* (Fallén)  
*Dichaetocoris gillespiei* Schwartz & Scudder  
*Dichaetocoris piceicola* (Knight)  
*Fieberocapsus flaveolus* (Reuter)  
*Hadronema militare* Uhler  
*Hadronema simplex* Knight  
*Heterotoma planicornis* (Pallas) \*  
*Inacora albifrons* Knight  
*Inacorella argentata* Knight  
*Inacorella sulcata* Knight  
*Labopidea lenensis* (Lindberg)  
*Labopidea nigrisetosa* Knight  
*Labopidea simplex* (Uhler)

Lopidea ampla Van Duzee  
Lopidea dakota Knight  
Lopidea minor Knight  
Lopidea nigridia aculeata Van Duzee  
Lopidea nigridia nigridia Uhler  
Lopidea picta Knight  
Lopidea taurina Van Duzee  
Malacocoris chlorizans (Panzer) \*  
Mecomma angustatum (Uhler)  
Mecomma gilvipes (Stål)  
Melanotrichus albocostatus (Van Duzee)  
Melanotrichus brindleyi Knight  
Melanotrichus coagulatus (Uhler)  
Melanotrichus concolor (Kirschbaum) \*  
Melanotrichus flavosparsus (Sahlberg) \*  
Melanotrichus leviculus Knight  
Melanotrichus mistus (Knight)  
Melanotrichus robineai Schwartz & Scudder  
Melanotrichus vestitus (Uhler)  
Melanotrichus virescens (Douglas & Scott) \*  
Noctuocoris fumidus (Van Duzee)  
Orthotylus alni Knight  
Orthotylus candidatus Van Duzee  
Orthotylus contrastus Van Duzee  
Orthotylus dorsalis (Provancher)  
Orthotylus flemingi Schwartz & Scudder  
Orthotylus katmai (Knight)  
Orthotylus nassatus (F.) \*  
Orthotylus neglectus Knight  
Orthotylus ochrotrichus Fieber \*  
Orthotylus pacificus Van Duzee  
Orthotylus ute Knight  
Paraproba cincta Van Duzee  
Paraproba hamata Van Duzee  
Parthenicus basicornis Knight  
Parthenicus brindleyi Knight  
Parthenicus giffardi Van Duzee  
Parthenicus grex Van Duzee  
Parthenicus lalannei Schwartz & Scudder  
Parthenicus pallidicollis Van Duzee  
Parthenicus sabulosus Van Duzee  
Parthenicus thibodeai Schwartz & Scudder  
Pseudopsallus occidentalis Stonedahl & Schwartz  
Sericophanes heidemanni Poppius  
Slaterocoris atritibialis (Knight)  
Slaterocoris breviatus (Knight)

Slaterocoris pilosus Kelton  
Slaterocoris robustus (Uhler)  
Slaterocoris stygicus (Say)  
Subfamily Phylinae  
Tribe Leucophoropterini  
Tytthus pubescens (Knight)  
Tytthus pygmaeus (Zetterstedt)  
Tribe Phylini  
Amblytylus nasutus (Kirschbaum) \*  
Asciodema obsoletum (Fieber) \*  
Atomoscelis onustus (Fieber)  
Atractotomus atricolor (Knight)  
Atractotomus cooperi Stonedahl  
Atractotomus kolenatii (Flor)  
Atractotomus magnicornis (Fallén) \*  
Atractotomus mali (Meyer-Dür) \*  
Aurantiocoris cuneotinctus (Van Duzee)  
Campylomma verbasci (Meyer-Dür) \*  
Chlamydatus associatus (Uhler)  
Chlamydatus brevicornis Knight  
Chlamydatus keltoni Schuh & Schwartz  
Chlamydatus montanus Knight  
Chlamydatus obliquus (Uhler)  
Chlamydatus pallidicornis Knight  
Chlamydatus pulicarius (Fallén)  
Chlamydatus schuhi Knight  
Compsidolon salicellum (Herrich-Schaeffer) \*  
Coquillettia pergrandis Wyniger  
Coquillettia thomasi Wyniger  
Criocoris saliens (Reuter)  
Europiella angulata (Uhler)  
Europiella artemisiae (Becker)  
Europiella consors (Uhler)  
Europiella decolor (Uhler)  
Europiella lattini Schuh  
Europiella pilosula (Uhler)  
Europiella unipunctata Knight  
Hoplomachus affiguratus (Uhler)  
Knightomiroides contortae Stonedahl & Schwartz  
Knightomiroides ponderosae Stonedahl & Schwartz  
Lepidaryrus ancorifer (Fieber) \*  
Lopus decolor (Fallén) \*  
Macrotylus multipunctatus Van Duzee  
Megalopsallus femoratus Kelton  
Monosynamma bohemanni (Fallén)  
Oligotylus nigerrimus (Van Duzee)

Phoenicocoris longirostris (Knight)  
Phoenicocoris rostratus (Knight)  
Phylloidea montana Knight  
Phylus coryli (Linnaeus) \*  
Pinophylus alpinus (Van Duzee)  
Plagiognathus alboradialis Knight  
Plagiognathus albatu (Van Duzee) \*  
Plagiognathus annulatus Uhler  
Plagiognathus arbustorum (Fabricius) \*  
Plagiognathus brevis Knight  
Plagiognathus brunneus (Provancher)  
Plagiognathus chrysanthem (Wolff) \*  
Plagiognathus davis Knight  
Plagiognathus dimorphus Schuh  
Plagiognathus fuscipes Knight  
Plagiognathus fuscus (Provancher)  
Plagiognathus laricicola Knight  
Plagiognathus lineatus Van Duzee  
Plagiognathus mundus Van Duzee  
Plagiognathus obscurus obscurus Uhler  
Plagiognathus parshleyi (Knight)  
Plagiognathus pemptos Schuh  
Plagiognathus ribesi Kelton  
Plagiognathus rosicoloides Schuh  
Plagiognathus shoshonea Knight  
Plagiognathus suffuscipennis Knight  
Plagiognathus verticalis (Uhler)  
Plesiodema pinicolus Schwartz & Schuh  
Psallovirus nigroantennatus Schwartz & Schuh  
Psallovirus piceicola (Knight)  
Psallus aethiops (Zetterstedt)  
Psallus betuleti (Fallén)  
Psallus falleni Reuter  
Psallus haematodes (Gmelin) \*  
Psallus kimi Josifov  
Pygovepres vaccinicola (Knight)  
Tuxedo cruralis (Van Duzee)  
Vanduzeephylus falcatus (Van Duzee)  
Tribe Pilophorini  
Pilophorus americanus Poppius  
Pilophorus diffusus Knight  
Pilophorus perplexus Douglas & Scott \*  
Pilophorus stonedahli Schuh & Schwartz  
Pilophorus tibialis Van Duzee  
Pilophorus vicarius Poppius  
Tribe Pronotocrepini

*Orectoderus arcuatus* Knight  
*Orectoderus obliquus* Uhler  
*Teleorhinus cyaneus* Uhler

Family Tingidae

Tribe Tingini

*Acalypta cooleyi* Drake  
*Acalypta elegans* Horváth  
*Acalypta lillianis* Torre Bueno  
*Acalypta parvula* (Fallén)  
*Acalypta saundersi* (Downes)  
*Corythaica venusta* (Champion)  
*Corythucha cydoniae* (Fitch)  
*Corythucha distincta* Osborn & Drake  
*Corythucha elegans* Drake  
*Corythucha hewitti* Drake  
*Corythucha immaculata* Osborn & Drake  
*Corythucha juglandis* (Fitch)  
*Corythucha marmorata* (Uhler)  
*Corythucha mollicula* Osborn & Drake  
*Corythucha morrilli* Osborn & Drake  
*Corythucha obliqua* Osborn & Drake  
*Corythucha padi* Drake  
*Corythucha pergandei* Heidemann  
*Corythucha salicata* Gibson  
*Dictyla labeculata* (Uhler)  
*Gargaphia opacula* Uhler  
*Gargaphia solani* Heidemann  
*Hesperotingis antennata* Parshley  
*Hesperotingis fuscatus* Parshley  
*Hesperotingis occidentalis* Drake  
*Melanorhopala clavata* Stål  
*Monosteira unicostata* (Mulsant & Rey) \*  
*Physatocheila plexa* (Say)  
*Physatocheila variegata* Parshley  
*Stephanitis rhododendri* Horváth \*  
*Stephanitis takeyei* Drake & Maa \*  
*Teleonemia nigrina* Champion

Tribe Ypsotingini

*Dictyonota fuliginosa* Costa \*

Family Reduviidae

Subfamily Emesinae

Tribe Metapterini

*Barce fraterna* (Say)

Tribe Ploiariolini

- Empicoris culiciformis (DeGeer) \*
- Empicoris errabundus (Say)
- Empicoris orthoneuron McAtee & Malloch
- Empicoris pilosus (Fieber) \*
- Empicoris rubromaculatus (Blackburn)
- Empicoris vagabundus (Linnaeus) \*
- Subfamily Harpactorinae
  - Fitchia spinosula Stål
  - Pselliopus spinicollis (Champion)
  - Rhynocoris ventralis ventralis (Say)
  - Sinea diadema (Fabricius)
  - Zelus tetracanthus Stål
- Subfamily Reduviinae
  - Reduvius personatus (Linnaeus)
- Subfamily Stenopodainae
  - Pygolampis sericea Stål

Family Phymatidae

- Phymata americana metcalfi Evans
- Phymata pennsylvanica Handlirsch
- Phymata vicina vicina Handlirsch

Infraorder PENTATOMOMORPHA

Family Aradidae

- Subfamily Aneurinae
  - Aneuris borealis Picchi
  - Aneuris inconstans Uhler
  - Aneuris simplex Uhler
- Subfamily Aradinae
  - Aradus abbas Bergroth
  - Aradus antennalis Parshley
  - Aradus approximatus Parshley
  - Aradus behrensi Bergroth
  - Aradus blaisdelli Van Duzee
  - Aradus coarctatus Heidemann
  - Aradus compressus Heidemann
  - Aradus debilis Uhler
  - Aradus depictus Van Duzee
  - Aradus falleni Stål
  - Aradus funestus Bergroth
  - Aradus fuscomaculatus Stål
  - Aradus heidemanni Bergroth
  - Aradus insolitus Van Duzee
  - Aradus intectus Parshley
  - Aradus kormilevi Heiss
  - Aradus lugubris Fallén

*Aradus medioximus* Parshley  
*Aradus nigrinus canadensis* Parshley  
*Aradus paganicus* Parshley  
*Aradus parshleyi* Van Duzee  
*Aradus parvicornis* Parshley  
*Aradus persimilis* Van Duzee  
*Aradus proboscideus* Walker  
*Aradus quadrilineatus* Say  
*Aradus similis* Say  
*Aradus taylori* Van Duzee [on Vanc. I., publ. by Parshley 1921]  
*Aradus tuberculifer* Kirby  
*Aradus uniannulatus* Parshley  
*Aradus vadosus* Van Duzee  
Subfamily Mezirinae  
*Mezira pacifica* Usinger

Family Alydidae

*Alydus calcaratus* (Linnaeus)  
*Alydus conspersus conspersus* Montandon  
*Alydus conspersus infuscatus* Fracker  
*Alydus eurinus* (Say)  
*Alydus scutellatus* Van Duzee  
*Megalotomus quinquespinosus* (Say)  
*Tollius curtulus* (Stål)  
*Tollius setosus* Van Duzee

Family Coreidae

Subfamily Coreinae  
Tribe Anisoscelidini  
*Leptoglossus occidentalis* Heidemann  
Tribe Coreini  
*Anasa tristis* (DeGeer)  
Subfamily Pseudophloeinae  
*Ceraleptus denticulatus* Froeschner  
*Ceraleptus pacificus* Barber  
*Coriomeris humilis* (Uhler)  
*Coriomeris insularis* (Dolling & Yonke)

Family Rhopalidae

Tribe Harmostini  
*Aufeius impressicollis* Stål  
*Harmostes dorsalis* Burmeister  
*Harmostes reflexulus* (Say)  
Tribe Neisthreini  
*Arhyssus barberi* Harris  
*Arhyssus crassus* Harris



Arhyssus distinctus Chopra  
Arhyssus rubrovenosus Scudder  
Arhyssus scutatus (Stål)  
Arhyssus validus (Uhler)

Tribe Rhopalini

Liorhyssus hyalinus (Fabricius)  
Rhopalus tigrinus (Schilling) \*  
Stictopleurus plutonius (Baker)  
Stictopleurus punctiventris (Dallas)

Subfamily Serinethinae

Boisea rubrolineata (Barber)

Family Artheneidae

Chilacis typhae (Perris) \*

Family Berytidae

Subfamily Berytinae

Berytinus minor (Herrich-Schaeffer) \*  
Neoneides muticus (Say)

Subfamily Gampsocorinae

Hoplinus echinata (Uhler)

Subfamily Metacanthinae

Jalysus wickhami Van Duzee

Family Blissidae

Blissus occiduus Barber

Family Cymidae

Cymus coriacipennis (Stål)  
Cymus luridus Stål

Family Geocoridae

Geocoris atricolor Montandon  
Geocoris bullatus (Say)  
Geocoris discopterus Stål  
Geocoris howardi Montandon  
Geocoris limbatus Stål  
Geocoris pallens Stål

Family Heterogastridae

Heterogaster behrensii (Uhler)  
Heterogaster urticae (Fabricius) \*

Family Ischnorhynchidae

Kleidocerys franciscanus (Stål)  
Kleidocerys modestus Barber

*Kleidocerys ovalis* Barber  
*Kleidocerys resedae fuscomaculatus* Barber  
*Kleidocerys resedae resedae* (Panzer)

Family Lygaeinae

*Lygaeospilus brevipilus* Scudder  
*Lygaeus kalmii kalmii* Stål  
*Melacoryphus lateralis* (Dallas)  
*Melanopleurus perplexus* Scudder  
*Neacoryphus bicrucis* (Say)

Family Orsillidae

Tribe Nysiini

*Nysius angustatus* Uhler  
*Nysius fuscovittatus* Barber  
*Nysius niger* Baker  
*Nysius paludicola* Barber  
*Nysius raphanus* Howard  
*Nysius tenellus* Barber  
*Nysius thymi* (Wolff)

Tribe Metrargini

*Xyonysius californicus* (Stål)

Tribe Orsillini

*Belonochilus numenius* (Say) \*  
*Neortholomus scolopax* (Say)

Family Oxycarenidae

*Crophius angustatus* Van Duzee  
*Crophius bohemani* (Stål)  
*Crophius disconotus* (Say)  
*Mayana ramosa* (Barber)  
*Metopoplax ditomoides* (Costa) \*

Family Pachygronthidae

*Phlegyas annulicrus* Stål

Family Rhyparochromidae

Subfamily Plinthisinae

*Plinthisus americanus* Van Duzee  
*Plinthisus brevipennis* (Latreille) \*

Subfamily Rhyparochrominae

Tribe Antillocorini

*Botocudo modestus* (Barber)

Tribe Drymini

*Drymus brunneus* (Sahlberg) \*  
*Eremocoris borealis* (Dallas)

- Eremocoris canadensis Walley
- Eremocoris ferus (Say)
- Eremocoris obscurus Van Duzee
- Eremocoris semicinctus Van Duzee
- Gastrodes intermedius Usinger
- Gastrodes pacificus (Provancher)
- Scolopostethus diffidens Horváth
- Scolopostethus pacificus Barber
- Scolopostethus thomsoni Reuter
- Scolopostethus tropicus (Distant)
- Tribe Gonianotini
  - Delochilocoris gracilis Scudder
  - Emblethis vicarius Horváth
  - Malezontus angustatus (Van Duzee)
  - Malezontus arcuatus Ashlock
  - Malezontus grossus Van Duzee
  - Malezontus sodalicus (Uhler)
  - Trapezonotus arenarius (Linnaeus)
  - Trapezonotus lattini Scudder
- Tribe Megalonotini
  - Megalonotus sabulicola (Thomson) \*
  - Sphragisticus nebulosus (Fallén)
- Tribe Myodochini
  - Kolenetrus plenus (Distant)
  - Ligyrocoris diffusus (Uhler)
  - Ligyrocoris latimarginatus Barber
  - Ligyrocoris sylvestris (Linnaeus)
  - Pseudocnemodus canadensis (Provancher)
  - Sisamnes claviger (Uhler)
  - Slaterobius insignis (Uhler)
  - Zeridoneus costalis (Van Duzee)
- Tribe Ozophorini
  - Ozophora occidentalis Slater
- Tribe Rhyparochromini
  - Cordillonotus stellatus Scudder
  - Delochilocoris gracilis Scudder
  - Peritrechus convivus Stål
  - Peritrechus fraternus Uhler
  - Peritrechus pilosulus Scudder
  - Peritrechus tristis Van Duzee
  - Rhyparochromus vulgaris (Schilling) \*
  - Uhleriola floralis (Uhler)
- Tribe Stygnocorini
  - Stygnocoris rusticus (Fallén) \*
  - Stygnocoris sabulosus (Schilling) \*
- Tribe Udeocorini

*Neosuris castanea* (Barber)

Family Piesmatidae

*Parapiesma cinereum* (Say)

*Parapiesma explanatum* (McAtee)

Family Acanthosomatidae

*Elasmotherethus cruciatus* (Say)

*Elasmotherethus interstinctus* (Linnaeus)

*Elasmucha lateralis* (Say)

Family Cydnidae

Subfamily Amnestinae

*Amnestus pallidus* Zimmer

Subfamily Cydninae

*Dallasiellus discrepans* (Uhler)

*Macroporus repetitus* Uhler

*Melanaethus subglaber* (Walker)

*Microporus obliquus* Uhler

Subfamily Sehirinae

*Sehirus cinctus albonotatus* Dallas

Family Pentatomidae

Subfamily Asopinae

*Apoecilus bracteatus* (Fitch)

*Perillus bioculatus* (Fabricius)

*Perillus exaptus* (Say)

*Podisus brevispinus* Phillips

*Podisus placidus* Uhler

*Podisus serieventris* Uhler

*Zicrona caerulea* (Linnaeus)

Subfamily Pentatominae

Tribe Hyalini

*Brochymena affinis* Van Duzee

*Brochymena quadripustulata* (Fabricius)

*Halyomorpha halys* (Stål) \*

Tribe Pentatomini

*Acrosternum hilare* (Say)

*Aelia americana* Dallas

*Anthemina eurynota remota* (Horváth)

*Banasa dimidiata* (Say)

*Banasa sordida* (Uhler)

*Chlorochroa granulosa* (Uhler)

*Chlorochroa ligata* (Say)

*Chlorochroa rossiana* Buxton & Thomas

*Chlorochroa uhleri* (Stål)

Coenus delius (Say)  
Cosmopepla conspicillaris (Dallas)  
Cosmopepla intergressus (Uhler)  
Cosmopepla lintneriana Kirkaldy  
Dendrocoris pini Montandon  
Euschistus conspersus Uhler  
Euschistus servus euschistoides (Vollenhoven)  
Euschistus tristigmus luridus Dallas  
Euschistus variolarius (Palisot)  
Holcostethus abbreviatus Uhler  
Holcostethus limbolarius (Stål)  
Holcostethus macdonaldi Rider & Rolston  
Holcostethus tristis (Van Duzee)  
Neottiglossa trilineata (Kirby)  
Neottiglossa tumidifrons Downes  
Neottiglossa undata (Say)  
Prioniosoma podopoidea Uhler  
Tepa rugulosa (Say)  
Thyanta pallidovirens (Stål)  
Trichopepla atricornis Stål  
Trichopepla aurora Van Duzee  
Trichopepla dubia (Dallas)  
Trichopepla grossa Van Duzee  
Tribe Sciocorini  
Sciocoris microphthalmus Flor

Family Scutelleridae

Subfamily Eurygastrinae

Eurygaster alternata (Say)  
Eurygaster amerinda Bliven  
Phimodera binotata (Say)  
Vanduzeeina balli (Van Duzee)  
Vanduzeeina borealis Van Duzee

Subfamily Pachycorinae

Acantholomidae porosus (Germar)  
Homaemus aeneifrons consors Uhler  
Homaemus bijugis Uhler  
Homaemus parvulus (Germar)

Family Thyreocoridae

Corimelaena extensa Uhler  
Corimelaena incognita (McAtee & Malloch)  
Corimelaena nigra Dallas  
Corimelaena pulicaria (Germar)  
Galgupha nitiduloides nitiduloides (Wolff)  
Galgupha ovalis Hussey